

# Profile RAM-3035-KOZE

Ref. A18056

Ref. arch 18056



- Mounting track
- Easy servicing of the 3035-O Profile
- Installation from below, wall to wall
- Openwork structure
- Adjustable spacing of bridges in the mounting track
- Mounting to drywall
- Non visible aluminum elements

## APPLICATION

- makes mounting and service of the 3035-O profile easy

## MOUNTING


- in drywall, with mounting adhesive
- can be easily connected into runs and systems

## ADDITIONAL INFORMATION

- CAUTION! when connecting sections into polygons, remember that the hooks on the bridges point outwards
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm 1.5$  mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

## TECHNICAL DRAWING

1:2



## TECHNICAL SPECIFICATIONS

|                                   |  |
|-----------------------------------|--|
| Material                          | aluminum   |
| Color                             | ■ silver non anodized  |
| Possible fixture shapes           | linear, polygonal  |
| Width                             | 83.7 mm  |
| Height                            | 25.9 mm  |
| Building type                     | Commercial, HoReCa object, Entertainment/ Arts                             |
| Facility zone                     | lobby / foyer, office, conference room, communication routes and corridors |
| Can be easily connected into runs | yes  |
| Mounting to drywall               | yes  |
| To cover with plaster             | yes  |
| Wire out back of extrusion        | yes  |

| Length  | Ref                    |
|---------|------------------------|
| 1000 mm | A18056N_1<br>18056NA_1 |
| 2005 mm | A18056N_2<br>18056NA_2 |
| 3010 mm | A18056N_3<br>18056NA_3 |

# Profile RAM-3035-KOZE

Ref. A18056

Ref. arch 18056

## SAMPLE PROJECTS



## RELATED PROFILES > ARCHITECTURAL




### 3035-O

A08441

Ref. arch B8441

## RELATED PROFILES > MOUNTING TRACKS



### 3035-KR-KOZE

A01780

Ref. arch C1780



### 3035-MOS

A01779

Ref. arch C1779

## RELATED ACCESSORIES > RELATED END CAPS

| NAME          | MATERIAL | COLOR  | REF.               |
|---------------|----------|--------|--------------------|
| RAM-3035-TEZE | ABS      | ■ gray | C24349C02<br>24349 |

# Profile RAM-3035-KOZE

Ref. A18056

Ref. arch 18056

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ADDITIONAL ITEMS



MOUNTING WEDGE

Z70397

Ref. arch 70397

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR

**ZM-180**

C28075N00

Ref. arch 40693



CONNECTOR

**ZM-NA-120**

C28242N00

Ref. arch 42729

## RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SPRINGS FOR RECESSED MOUNT AND MOUNTING TRACKS



SPRING

**KR**

C42737N00

Ref. arch 42737