
Ref. arch B468+43



TECHNICAL DRAWING





- Adjustable lighting angle
- Wide range of accessories

APPLICATION

- main and decorative lighting

MOUNTING

- to the surface, suspended or recessed, using dedicated accessories, properly selected screws, with double-sided adhesive tape or mounting adhesive
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- thanks to the adjustable LED insert, the profile can be configured to obtain lighting angles of: 10, 30, 45, 60 or 90 degrees
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance \pm 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL SPECIFICATIONS

Material	aluminum		
Color	silver anodized		
Possible fixture IP	20, 67		
Possible fixture shapes	linear		
Width	16 mm		
Height	12 mm		
LED gluing width A	11.2 mm		
Number of LED strips A (8 mm wide)	1		
Beam angle adjustment from	10		
Beam angle adjustment up to	90		
Building type	Outdoor, Commercial, Retail, HoReCa object		
Facility zone	urban architecture, fascade lighting, wall lighting, green architecture		
Easy assembly and disassembly by snapping in and out	yes		
The cover is cut to the length of the profile	yes		
Wire out end cap	yes		

Length	Ref	
1000 mm	A18068A_1 B468+43ANODA_1	
2005 mm	A18068A_2 B468+43ANODA_2	
3010 mm	A18068A_3 B468+43ANODA_3	



yes

Ref. arch B468+43

Wire out back of extrusion



SAMPLE PROJECTS



RELATED ACCESSORIES > RELATED COVERS

NAME		MATERIAL	MATERIAL TRAN	MATERIAL TRANSMITTANCECOLOR	
S	1	PC	73 %	clear	B17202T 00220
S-SATYNA		PC	67 %	clear	B17202S 17111

RELATED ACCESSORIES > RELATED END CAPS

NAME		MATERIAL	COLOR	REF.
REGULOR	Se la constanción de la constancición de la constanción de la constanción de la cons	РР	gray	C20116C02 00310
REGULOR-OTW		PP	gray	C20116C02TW 00313

RELATED ACCESSORIES > RELATED LED



8K-WP-K-1275-12V _błąd Ref. arch 8K-WP-K-1275-12V

Ref. arch B468+43

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY





RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ADDITIONAL ITEMS



CANOPY **Fi-60mm** C24540

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



HEAD **ZO** C28115N00 Ref. arch 42217



PASTEINER PUSZ-PRET-MR C28166N00, C28166L10, C28166L07 Ref. arch 42281, 42281L9010, 42281L9005



FASTENER **PUSZ-LIN-MR** C28163N00, C28163L10, C28163L07 Ref. arch 42278, 42278L9010, 42278L9005



FASTENER **FI-8-LIN-MR** C28172N00, C28172L10, C28172L07 Ref. arch 42287, 42287L9010, 42287L9005

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD **ST** C28114N00 Ref. arch 42216



BZP C28113N00 Ref. arch 42213

Def. arch D468142

Ref. arch B468+43

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS



MOUNTING BRACKET **PDS-STN** C24190N00

Ref. arch 24190



MOUNTING BRACKET **REG-PD-UV** C28055C02 Ref. arch 24270



MOUNTING BRACKET PL-PDM C24041C02 Ref. arch 24041



MOUNTING BRACKET

C24189C02, C24223C10 Ref. arch 24189, 24223



MOUNTING BRACKET **PDS-STN-90G** C24370N00, C24370L07, C24370L10 Ref. arch 24370, 24370RAL9005, 24370RAL9010



MOUNTING BRACKET **PDS-STN-90D** C24367N00, C24367L07, C24367L10 Ref. arch 24367, 24367RAL9005, 24367RAL9010



MOUNTING BRACKET PDS-STN-ALFA C28060N00 Ref. arch 24426

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



MOUNTING BRACKET PDS-STN-45D C24456N00 Ref. arch 24456



MOUNTING BRACKET PDS-STN-60D C24457N00 Ref. arch 24457



GLAND 6x1,2 C24517C07 Ref. arch 00802

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



ARM **K5G-AB** C28270N00 Ref. arch 42051



W1 C28203N00 Ref. arch 42602



C28204N00 Ref. arch 42603



FASTENER SET M3 C28182N00 Ref. arch 42303



FASTENER SET **M4** C28180N00 Ref. arch 42301




Profile REGULOR

Ref. A18068

Ref. arch B468+43




FASTENER SET **M5** C28181N00 Ref. arch 42302



FASTENER SET W6 C28205N00 Ref. arch 42604



FASTENER SET W9 C28207N00 Ref. arch 42607



FASTENER SET **W10** C28208N00 Ref. arch 42608



FASTENER SET **RG-1** C28230P00, C28230P01, C28230L10, C28230L07 Ref. arch 42647NI, 42647GSS, 42647L9010, 42647L9005

