



- Mounting to 16 mm | 0.63" drywall
- Installation in corners
- No collision with the ceiling structure
- Line of light flush with the surface
- Non visible aluminum elements

### APPLICATION

- main and decorative lighting


### MOUNTING

- in drywall, with mounting adhesive
- can be easily connected into runs and systems

### ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-22 protective insert should be used
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

### TECHNICAL DRAWING



### TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver non anodized
Possible fixture IP	20
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	48 mm
Height	39 mm
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	3
Width of the glow	22 mm
Max power of a single KLUŚ LED strip	24 W/m
Possibility of obtaining a line of light	yes
Building type	Commercial, HoReCa object, Retail
Facility zone	communication routes and corridors, bathroom, lobby / foyer, office, conference room
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes


Length	Ref
1000 mm	A00600N_1
2005 mm	A00600N_2
3010 mm	A00600N_3

# Profile KOZUS-CR





Ref. A00600

Mounting to drywall	yes
To cover with plaster	yes
Wire out back of extrusion	yes


## SAMPLE PROJECTS



## RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.	
LIGER		PC	70 %	satin	B17032S
			22 %	black	B17032B
HS		PC	65 %	frosted	B17011F
			88 %	clear	B17011C
G		PMMA	71 %	satin	B17006S
			89 %	semi-transparent	B17006T
			94 %	clear	B17006C
			20 %	black	B17006B
MUN-22		PC	86 %	semi-transparent	B17042F

## RELATED ACCESSORIES > END CAPS


NAME	MATERIAL	COLOR	REF.	
KOZUS		PP	gray	C24148C02

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



**K-27T50-1440-24**  
K-27T50-1440-24

RELATED ACCESSORIES > RELATED LED > CRI 95+



**K-CR-0480-24**  
K-CR-0480-24




**K-CR-0960-24**  
K-CR-0960-24




**K-CR-1440-24**  
K-CR-1440-24


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




**K-HE-0480-HD-24**  
K-HEHD-0480-24




**K-HE-0960-HD-24**  
K-HEHD-0960-24



**K-HE-1440-HD-24**  
K-HEHD-1440-24



**K-HE-1920-HD-24**  
K-HEHD-1920-24



**K-VHE-0480-24**  
K-VHE-0480-24



**K-VHE-0960-24**  
K-VHE-0960-24




**K-VHE-1440-24**  
K-VHE-1440-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



**K-RGB27T65-1200-24**  
K-RGB27T65-1200-24



**K-1275-RGB-24**  
K-RGB-1275-24



**K-RGBW-1530-24**  
K-RGBW-1530-24



**K-1920-120-RGB-24**  
K-RGB-1920-120-24



**K-RGB-1200-24**  
K-RGB-1200-24



**K-RGB-0700-24**  
K-RGB-0700-24


RELATED ACCESSORIES > RELATED LED > WHITE MONO




**K-0530-HD-24**  
K-HD-0530-24



**K-1220-24**  
K-1220-24



**K-1275-24**  
K-1275-24




**K-1910-HD-24**  
K-HD-1910-24



**K-2300-24**  
K-2300-24




**K-0480-24**  
K-0480-24




**K-0960-24**  
K-0960-24



**K-1440-24**  
K-1440-24




**K-2400-24**  
K-2400-24




**K2-1920-24**  
K2-1920-24



**K3-2880-24**  
K3-2880-24



**K-HD-0480-24**  
K-HD-0480-24



**K-HD-0960-24**  
K-HD-0960-24



**K-HD-1440-24**  
K-HD-1440-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS




CONNECTOR  
**ZM-NA-90**  
42723



CONNECTOR  
**ZM-NA-120**  
C28242N00



CONNECTOR  
**ZM-NA-PION-135**  
42727



CONNECTOR  
**ZM-NA-PION-120**  
42321

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER




GLAND  
**6x1,2**  
C24517C07

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS



MASKING COVER  
**MP-22**  
C28261L01\_0.25,  
C28261L10\_0.25,  
C28261L07\_0.25

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



PROTECTIVE INSERT  
**TECH-22**  
C24531C02