

Profile STOS-ALU

Ref. A04369

Ref. arch B4369



- Minimum height
- Smooth profile walls
- Small bending radius

APPLICATION

- furniture, under-cabinet and decorative lighting


MOUNTING

- to the surface, using a dedicated mounting track, mounting adhesive, properly selected screws or double-sided adhesive tape

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20, 67
Possible fixture shapes	linear
Width	31 mm
Height	7 mm
LED gluing width A	13.1 mm
Number of LED strips A (8 mm wide)	1
Possibility of bending	yes
Minimum external radius	250 mm
Minimum internal radius	200 mm
Building type	Residential, HoReCa object
Facility zone	kitchen, furniture, communication routes and corridors
Wire out back of extrusion	yes


Length	Ref
1000 mm	A04369A_1 B4369ANODA_1
2005 mm	A04369A_2 B4369ANODA_2
3010 mm	A04369A_3 B4369ANODA_3

Profile STOS-ALU

Ref. A04369

Ref. arch B4369

SAMPLE PROJECTS



RELATED PROFILES > MOUNTING TRACKS



TEST-36
A06639
Ref. arch B6639



TEST-74
A04507
Ref. arch W4507

RELATED ACCESSORIES > RELATED COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
HS-12	PC	73 %	<input type="checkbox"/> frosted	B17201M 00157
		94 %	<input checked="" type="checkbox"/> clear	B17201T 00158
KA-PRO-12	PC	74 %	<input type="checkbox"/> frosted	B17066M 17066
		94 %	<input checked="" type="checkbox"/> clear	B17066T 17067
KA-12	PC	69 %	<input type="checkbox"/> frosted	B17078M 17078
		94 %	<input checked="" type="checkbox"/> clear	B17078T 17079

RELATED ACCESSORIES > RELATED END CAPS


NAME	MATERIAL	COLOR	REF.
STOS-ALU	PP	<input checked="" type="checkbox"/> gray	C20108C02 00085
		<input checked="" type="checkbox"/> silver	C20108L01 24065

Profile STOS-ALU

Ref. A04369

Ref. arch B4369

RELATED ACCESSORIES > RELATED LED




K-1210-12V
K-1210-12
Ref. arch K-1210-12V



K-1275-12V
K-1275-12
Ref. arch K-1275-12V



WP-K-1220-12V
KWP-1220-12
Ref. arch WP-K-1220-12V



WP-K-1275-12V
KWP-1275-12
Ref. arch WP-K-1275-12V



WP-K-1220-IP65-12V
_błąd
Ref. arch WP-K-1220-IP65-12V



K-1275-RGB-12V
K-RGB-1275-12
Ref. arch K-1275-RGB-12V

RELATED ACCESSORIES > RELATED LED > CRI 95+




WP-K-CR-1210-24V
KWP-CR-1210-24
Ref. arch WP-K-CR-1210-24V




WP-K-CR-1220-24V
KWP-CR-1220-24
Ref. arch WP-K-CR-1220-24V




WP-K-CR-1275-24V
KWP-CR-1275-24
Ref. arch WP-K-CR-1275-24V




K-CR-1210-24V
K-CR-1210-24
Ref. arch K-CR-1210-24V




K-CR-1220-24V
K-CR-1220-24
Ref. arch K-CR-1220-24V



K-CR-1275-24V
K-CR-1275-24
Ref. arch K-CR-1275-24V



K-CR-1820-HD-24V
K-CRHD-1820-24
Ref. arch K-CR-1820-HD-24V




K-CR-1910-HD-24V
K-CRHD-1910-24
Ref. arch K-CR-1910-HD-24V

Profile STOS-ALU


Ref. A04369

Ref. arch B4369


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24V
K-HEHD-0480-24
Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HEHD-0960-24
Ref. arch K-HE-0960-HD-24V



K-HE-1440-HD-24V
K-HEHD-1440-24
Ref. arch K-HE-1440-HD-24V




K-HE-1920-HD-24V
K-HEHD-1920-24
Ref. arch K-HE-1920-HD-24V


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1530-RGB+W-24V
K-RGBW-1530-24
Ref. arch K-1530-RGB+W-24V



K-1920-120-RGB-24V
K-RGB-1920-120-24
Ref. arch K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
KWP-1920-120-RGB-24
Ref. arch WP-K-1920-120-RGB-24V

RELATED ACCESSORIES > RELATED LED > WHITE MONO



WP-K-1910-HD-IP65-24V
KWP-GHD-1910-24
Ref. arch WP-K-1910HDIP6524V

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES



LATCH
TEKNIK
C24003C10
Ref. arch 24003

Profile STOS-ALU

Ref. A04369

Ref. arch B4369

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER




GLAND

6x1,2

C24517C07

Ref. arch 00802

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > REGULAR END CAPS




END CAP

STOS-ALU

C20108C02, C20108L01

Ref. arch 00085, 24065

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS



SPRING

PDS

C24501N00

Ref. arch 00800